

Current Claims Schedule

1 1. (Currently Amended) A liquid dispensing unit for a toilet bowl, comprising [a first
2 container containing a first, liquid formulation, a second container containing a second
3 formulation, and delivery means for automatically delivering the formulations to the
4 toilet bowl] ² a container containing a first, liquid formulation; a cage ^{3 3} containing a sec-
5 ond, solid formulation; a strap ^{7/9-10} for suspending the unit from the rim of a toilet bowl; a
6 ⁽²⁵⁾ delivery plate, in use, the liquid being delivered onto the delivery plate whereby flush
7 water washes the liquid formulation into the toilet bowl, and ¹ means for automatically
8 delivering said formulations to the toilet bowl.

1 2. (Cancelled)

1 3. (Original) A liquid dispensing unit as claimed in claim 1, wherein the first formu-
2 lation comprises one or more of a surfactant, a dye and a perfume.

1 4. (Cancelled)

1 5. (Original) A liquid dispensing unit as claimed in claim 4, wherein the second for-
2 mulation contains a bleach.

1 6. (Currently Amended) A liquid dispensing unit as claimed in claim [3] 1, wherein
2 the second formulation contains an acidic component for limescale removal or inhibi-
3 tion.

1 7. (Cancelled)

1 8. (Currently Amended) A liquid dispensing unit as claimed in claim [2] 1, wherein
2 one [formulation] of said formulations contains one or more of a surfactant, a dye and a
3 perfume, and the other [formulation] of said formulations contains a bleach, or an
4 acidic component for limescale inhibition.

AS
1 9. (Cancelled)

1 10. (Currently Amended) A liquid dispensing unit as claimed in claim [9] 1, wherein
2 the [or a] liquid [composition] formulation is delivered into a cup below the delivery
3 plate, and ducted onto the upper surface of the plate by a capillary.

1 11. (Original) A liquid dispensing unit as claimed in claim 9, wherein the delivery
2 plate includes a layer of textile material.

1 12. (Currently Amended) A refill for a liquid dispensing unit as claimed in claim [4]
2 1, [comprising a liquid container containing a liquid composition, and a cage containing
3 a solid composition,] wherein the cage and the liquid container are clipped together to
4 form a unit.

1 13. (Original) A liquid dispensing unit as claimed in claim 1, wherein the liquid for-
2 mulation includes a bleach component.

1 14. (Original) A liquid dispensing unit as claimed in claim 4, wherein the second solid
2 formulation includes a colourant.

1 15. (Cancelled)

15
1 16. (Original) A liquid dispensing unit for a toilet bowl, comprising a first container
2 containing a first, liquid formulation, a holder for holding the container, a strap for
3 suspending the unit from a rim of a toilet bowl and a delivery surface, liquid from the
4 container flowing onto the delivery surface and the delivery surface being positioned in
5 use, to be washed with flush water of the toilet bowl to wash the liquid from the deliv-
6 ery surface into the toilet bowl, wherein a second, solid formulation is provided and
7 means is provided for causing flush water to wash over the second formulation.

1 17. (Original) A liquid dispensing unit as claimed in claim 16, wherein the first and
2 second formulations are kept substantially separate until they have entered the flush
3 water held in the toilet bowl.

1 18 to 24 (Cancelled)

1 25. (New) A liquid dispensing unit as claimed in claim 1, wherein the cage is adjacent
2 the delivery plate such that, in use, flush water will flow from the delivery plate into
3 the cage.

1 26. (New) A liquid dispensing unit as claimed in claim 25, wherein the cage has an
2 outlet at a lower end thereof for water to flow out of the cage through the outlet.

1 27. (New) A liquid dispensing unit as claimed in claim 26, wherein the cage outlet is
2 dimensioned to retain water in the cage for a short period of time.

1 28. (New) A liquid dispensing unit as claimed in claim 27, wherein water drains from
2 the cage over a period of several minutes.

1 29. (New) A liquid dispensing unit as claimed in claim 25, wherein, when positioned
2 on a rim of a toilet bowl, the delivery plate slopes downwards towards the cage.

1 30. (New) A liquid dispensing unit as claimed in claim 16, wherein the second, solid
2 formulation is contained in a container having an inlet for flush water and an outlet.

1 31. (New) A liquid dispensing unit as claimed in claim 30, wherein the container inlet
2 is positioned adjacent the delivery surface to receive flush water therefrom.

1 32. (New) A liquid dispensing device as claimed in claim 31, wherein the delivery
2 surface slopes down towards the container inlet.

1 33. (New) A liquid dispensing unit as claimed in claim 16, wherein the liquid compo-
2 sition is delivered into a cup below the delivery plate, and ducted onto the upper sur-
3 face of the delivery plate by a capillary.

AS
1 34. (New) A liquid dispensing unit for a toilet bowl, comprising a first container con-
2 taining a first, liquid formulation, a holder for holding the container, a strap for sus-
3 pending the unit from a rim of a toilet bowl and a delivery surface, liquid from the
4 container flowing onto the delivery surface and the delivery surface being positioned in
5 use, to be washed with flush water of the toilet bowl to wash the liquid from the deliv-
6 ery surface into the toilet bowl, wherein the liquid composition is delivered into a cup
7 provided below a level of the delivery plate, and ducted from the cup onto the upper
8 surface of the delivery plate by a capillary, and a container housing a second, solid
9 formulation is provided adjacent the delivery plate to receive flush water from the de-
10 livery plate to wash the second formulation into the toilet bowl, the container having an
11 inlet for the flush water adjacent the delivery plate and an outlet below the level of the
12 delivery plate.

1 35. (New) A liquid dispensing device as claimed in claim 34, wherein the delivery
2 plate slopes down towards the container inlet.
